

02/2023



Little Italy

— FORNI —

ENGLISH

ABOUT US	1
PAVESI	3
ROTATING OVENS	
GAS	4
JOY 60TW gas front	5
JOY 90TW gas front	7
JOY 110TW gas front	9
JOY 130TW gas front	11
Twister gas	13
PVP 110TW gas	15
PVP 130TW gas	17
PVP 150TW gas	19
COMBO	22
JOY 110TW wood/combo	23
JOY 130TW wood/combo	25
Twister side wood/combo	27
PVP 130TW round wood/combo	29
PVP 150TW round wood/combo	31
STATIC OVENS	34
JOY 90 wood/combo	35
JOY 120 wood/combo	37
JOY 140 wood/combo	39
JOY 140/160 wood/combo	41
RPM 120 wood/combo	43
RPM 140 wood/combo	45
RPM 140/160 wood/combo	47
RPM 140/180 wood/combo	49
FINISH	52
ZANOLLI	55
ELECTRIC/GAS OVENS	56
Synthesis	57
Citizen PW	59
Citizen GAS	62
Citizen EP	65
Romeo	67
Vulcano	68
Avgvsto	69
Teorema Polis	71
OVENS AT HOME	76
JOY 90 wood/combo	77
DIY wood	79
MACHINES	80
Roller	81
Devil	84
Galassia	85
Ercolina	89
REFRIGERATION	92
ACCESSORIES	96

ABOUT US

Little Italy Forni has specialized in the installation of pizza ovens for over 10 years. We have a very wide range of products and together we will choose the ideal oven to meet all your needs. In addition to the installation of the oven, we also take care of the interior design of your pizzeria.


The prices in this catalogue include transport and installation of the oven, excluding VAT.

The color of the oven is not included in the price.

All models are assembled on site and can be brought in through any door.


We can also supply you with pizzeria accessories, from pasta machines to pizza shovels.





← 80 cm →

All models are assembled on site and can therefore be brought in through any door.



In one day your oven is fully installed and ready to use (extra day for personalized finish).



We install ovens all over Belgium.



Since 1969, Pavesi Forni Modena has been involved in the production and laying of refractory and insulating materials on ceramic, glass and foundry ovens.

Thanks to the acquired know-how, Pavesi Forni Modena has been building professional wood and gas ovens in Italy for pizzerias and bakeries and has been marketing them all over the world for over 30 years

Each Pavesi oven comes from the Italian tradition and their long experience of craftsmanship.

All ovens are built entirely by hand using the highest quality materials in order to ensure stability and the control of each element.

Every single oven is made to last, to ensure the best performance and obtain excellent energy saving.

Finishing options (color, mosaic) for all Pavesi ovens can be found on **page 52**.

Rotating ovens - GAS -

JOY 60TW GAS FRONT




With its rotating plate of 62 cm in diameter, its small size (80 cm) and high-performance materials, the professional Joy 60 TW can reach temperatures exceeding 400 ° C, thanks to its built-in gas burner. In addition to baking pizzas it's possible to cook artisanal bread, succulent roasts or stews, and this all in the space you would usually occupy with a coffee table.

Available in endless customizable colors. The revolving Joy 60 TW oven allows the pizza maker to devote himself to only preparing the pizzas, since those already in the oven do not need to be turned.

JOY 60TW gas	€ 6 710
--------------	---------

Inside dimensions	60 x 70 cm
Weight	250 kg
Dome thickness	steel
Cook Top - Cover Distance	32 cm
Cook top height from ground	121 cm
Base Insulation Thickness (Microporous Panels)	10 cm
Dome Insulation Thickness (Kaolin Blanket)	12 cm
Chimney Flue Ø	12 cm
Smokes temperature at the vent	300 ° - 25 g/sec (50m3/Hr)
Static pressure	12 Pa
Monoblock Cooking Plate	Burner drago P1
Thermal Potential	min. 6 - max. 15 Kw
Thermal Potential	min. 5 000 - max. 13 000 Kcal/h

Gas Pressure Nat. Gas	min. 15/25 max. 25/50 mbar
Gas Flow Nat. Gas	min. 0,63/0,20 max. 1,58/0,54 Nm3/h
Gas Coupling	1/2 inches
Weight	4 kg



JOY 90TW GAS FRONT



Baking surface diameter of 90 cm. , Pavesi ROTATING SINGLE BLOCK, capacity for 2/3 pizzas.

The rotating floor bakes pizza and other dishes perfectly, without moving the food in the oven. It achieves the complex flavors that are only possible with a traditional oven, with the convenience of gas.

The revolving Joy 90 TW oven was made with a one-torch electronic burner, with high and low flame, adjustable in six different positions.

JOY 90TW gas	€ 13 200
--------------	----------

Inside dimensions	90 cm
Weight	390 kg
Dome thickness	steel + refractory cement
Cook Top - Cover Distance	32 cm
Cook top height from ground	116 cm
Base Insulation Thickness (Microporous Panels)	10 cm
Dome Insulation Thickness (Kaolin Blanket)	15 cm
Chimney Flue Ø	15 cm
Smokes temperature at the vent	300 ° - 25 g/sec (50m3/Hr)
Static pressure	12 Pa
Monoblock Cooking Plate	Burner Drago Baby SIX
Thermal Potential	min. 7 - max. 24 Kw
Thermal Potential	min. 6 020 - max. 20 640 Kcal/h

Gas pressure	min. 15 max. 25 mbar
Gas flow	min. 0,73 max. 2,54
Gas coupling	1/2 inches
Weight	4 kg
Total consumption motor + burner	500 W



JOY 90 TW
GAS FRONT



n° **2/3**

JOY 110TW GAS FRONT



Baking surface diameter of 110 cm. , Pavesi ROTATING SINGLE BLOCK, capacity for 6/8 pizzas.

Designed to provide a working tool of the highest standard but still unique, because it is strongly characterized in terms of aesthetics, almost a piece of design.



- User friendly
- Rotation speed control
- Cooking plate always at the ideal temperature
- Recommended for those who must cook large quantities of pizzas as quickly as possible

All the Pavesi gas-fired ovens are supplied with an electronically managed gas burner.

JOY 110TW gas front *burner included	€ 17 930
---	----------

Inside dimensions	110 cm
Weight	970 kg
Dome thickness	8/10 cm
Cook Top - Cover Distance	42 cm
Cook top height from ground	115/125 adjustable
Base Insulation Thickness (Microporous Panels)	10 cm
Dome Insulation Thickness (Kaolin Blanket)	12 cm
Chimney Flue Ø	20 cm
Smokes temperature at the vent	300 ° - 25 g/sec (50m3/Hr)
Static pressure	12 Pa
Monoblock Cooking Plate	Burner drago D2
Thermal Potential	min. 6 - max. 34 Kw
Thermal Potential	min. 5 000 - max. 29 200 Kcal/h

Gas Pressure Nat. Gas	min. 7/20 max. 25/50 mbar
Gas Flow Nat. Gas	min. 0,63/0,20 max. 3,59/1,22
Gas Coupling	1/2 inches
Weight	8 kg
Electrical power supply	230 V monophase
Consumption	500 W
m2 mosaic (option)	4m2



JOY 110 TW
GAS FRONT



n° **6/8**



JOY 130TW GAS FRONT



Baking surface diameter of 130 cm. , Pavesi ROTATING SINGLE BLOCK, capacity for 10/12 pizzas.

Designed to provide a working tool of the highest standard but still unique, because it is strongly characterized in terms of aesthetics, almost a piece of design.



- User friendly
- Rotation speed control
- Cooking plate always at the ideal temperature
- Recommended for those who must cook large quantities of pizzas as quickly as possible

All the Pavesi gas-fired ovens are supplied with an electronically managed gas burner.

JOY 130TW gas front *burner included	€ 20 130
---	----------

Inside dimensions	130 cm
Weight	1270 kg
Dome thickness	8/12 cm
Cook Top - Cover Distance	42 cm
Cook top height from ground	115/125 adjustable
Base Insulation Thickness (Microporous Panels)	10 cm
Dome Insulation Thickness (Kaolin Blanket)	12 cm
Chimney Flue Ø	20 cm
Smokes temperature at the vent	300 ° - 25 g/sec (50m3/Hr)
Static pressure	12 Pa
Monoblock Cooking Plate	Burner drago D2
Thermal Potential	min. 6 - max. 34 Kw
Thermal Potential	min. 5 000 - max. 29 200 Kcal/h

Gas Pressure Nat. Gas	min. 7/20 max. 25/50 mbar
Gas Flow Nat. Gas	min. 0,63/0,20 max. 3,59/1,22
Gas Coupling	1/2 inches
Weight	8 kg
Electrical power supply	230 V monophase
Total consumption + motor	500 W
m2 mosaic (option)	5m2



JOY 130 TW
GAS FRONT



n° **10/12**



TWISTER GAS



- ROTATING MONOBLOCK auto-dilating baking surface of 130 cm.
- Central back gas fired
- Single opening 56x27 cm
- Uniform heat distribution
- Production capacity that can exceed 160 pizzas / hour and 400 pizzas baked in succession (data gathered directly from pizza restaurants)

Anyone will be able to work in front of the oven and dedicate themselves entirely to preparing pizza. The Twister Gas is the extra help that everyone would love in their restaurant:


- Extremely simple to use
- Maximum hygiene
- Power consumption kept to a minimum
- Maximum space optimisation
- Excellent baking characteristics

All the Pavesi gas-fired ovens are supplied with an electronically managed gas burner

Twister gas *burner included	€ 19 500
---------------------------------	----------

Revolving plate diameter	130 cm
Weight	1500 kg
Dome thickness	8/10 cm
Cook top.- cover distance	42 cm
Cook top height from ground	115/125 cm (adjustable)
Base insulation thickness (microporous panels)	10/15 cm
Dome insulation thickness (kaolin blanket)	10 cm
Chimney flue Ø	20 cm
Smokes temperature at the vent	300 ° - 25 g/sec (50m3/Hr)
Static pressure	12 Pa
Consumption	400 W
Total consumption motor + burner	500 W

Monoblock cooking plate	Burner Drago D2
Thermal potential	min. 6 max. 34
Thermal potential	min. 5 000 max. 29 200
Gas pressure nat. gas	min. 7/20 max. 25/50
Gas flow nat. gas	min. 0,63/0,20 max. 3,59/1,22
Gas coupling	1/2 inches
Weight	8 kg
Electrical power supply	230 V monophase
Total consumption motor + burner	500 W



PVP 110 TW GAS



- ROTATING SINGLE BLOCK Pavesi Baking surface diameter of 110 cm.
- Capacity for 8/10 pizzas
- FLAT VAULT
- Square chamber with refractory cement walls
- Single 56x27 opening
- Heats from 100° C. to 300° C. in approx. in 40 minutes (data measured using 34 KW/h Methane Gas Burner and 20 cm. insulated flue).



A small yet extremely reactive oven.
We prefer not to indicate the hourly production rate, as it is linked to many factors other than the oven specifications, such as the production capacity of the staff and the work area. It's up to you to find out. You'll be surprised.

All the Pavesi gas-fired ovens are supplied with an electronically managed gas burner.

PVP 110 TW gas	€ 17 000
----------------	----------

Revolving plate diameter	110 cm
Weight	1300 kg
Dome thickness	7,5 cm
Cook top.- cover distance	32 cm
Cook top height from ground	115/125 adjustable
Base insulation thickness (microporous panels)	10/15 cm
Dome insulation thickness (kaolin blanket)	10 cm
Chimney flue Ø	20 cm
Smokes temperature at the vent	300 ° - 25 g/sec (50m3/Hr)
Static pressure	12 Pa
Monoblock cooking plate	Burner drago D2
Thermal potential	min. 6 - max. 34 Kw
Thermal potential	min. 5 000 - max. 29 200 Kcal/h

Gas pressure nat. gas	min. 7/20 max. 25/50 mbar
Gas flow nat. gas	min. 0,63/0,20 max. 3,59/1,22
Gas coupling	1/2 inches
Weight	8 kg
Electrical power supply	230 V monophase
Total consumption motor + burner	500 W



PVP 110



n° 6/8



PVP 130 TW GAS



- ROTATING SINGLE BLOCK Pavesi baking surface diameter of 130 cm.
- Capacity for 10/12 pizzas
- FLAT VAULT
- Square chamber with refractory cement walls
- Single 56x27 opening
- Heats from 100° C. to 300° C. in approx. 50 minutes (data measured using 34 KW/h Methane Gas Burner and 20 cm. insulated flue).





An oven that can fully meet the requirements of all those restaurants that need to work intensely for many hours. A large yet extremely reactive oven.

All the Pavesi gas-fired ovens are supplied with an electronically managed gas burner.

PVP 130 TW gas	€ 19 140
----------------	----------

Revolving plate diameter	130 cm
Weight	1350 kg
Dome thickness	7,5 cm
Cook top.- cover distance	32 cm
Cook top height from ground	115/125 adjustable
Base insulation thickness (microporous panels)	10/15 cm
Dome insulation thickness (kaolin blanket)	10 cm
Chimney flue Ø	20 cm
Smokes temperature at the vent	300 ° - 25 g/sec (50m3/Hr)
Static pressure	12 Pa
Monoblock cooking plate	Burner drago D2
Thermal potential	min. 6 - max. 34 Kw
Thermal potential	min. 5 000 - max. 29 200 Kcal/h

Gas pressure nat. gas	min. 7/20 max. 25/50 mbar
Gas flow nat. gas	min. 0,63/0,20 max. 3,59/1,22
Gas coupling	1/2 inches
Weight	8 kg
Electrical power supply	230 V monophase
Total consumption motor + burner	500 W



PVP 150TW GAS



- ROTATING SINGLE BLOCK Pavesi baking surface diameter of 150 cm.
- Capacity for 14/18 pizzas
- Ideal for tray baked pizza
- FLAT VAULT
- Square chamber with refractory cement walls
- Single 56x27 opening
- Heats from 100° C. to 300° C. in approx. 60 minutes (data measured using 34 KW/h Methane Gas Burner and 20 cm. insulated flue).


An oven that can fully meet the requirements of all those restaurants that need to work intensely for many hours. A large, even huge oven yet still extremely reactive.

All the Pavesi gas-fired ovens are supplied with an electronically managed gas burner.

PVP 150TW gas	€ 20 740
---------------	----------

Revolving plate diameter	150 cm
Weight	1400 kg
Dome thickness	7,5 cm
Cook top.- cover distance	32 cm
Cook top height from ground	115/125 adjustable
Base insulation thickness (microporous panels)	10/15 cm
Dome insulation thickness (kaolin blanket)	10 cm
Chimney flue Ø	25 cm
Smokes temperature at the vent	300 ° - 25 g/sec (50m3/Hr)
Static pressure	12 Pa
Monoblock cooking plate	Burner drago D2
Thermal potential	min. 6 - max. 34 Kw
Thermal potential	min. 5 000 - max. 29 200 Kcal/h

Gas pressure nat. gas	min. 7/20 max. 25/50 mbar
Gas flow nat. gas	min. 0,63/0,20 max. 3,59/1,22
Gas coupling	1/2 inches
Weight	8 kg
Electrical power supply	230 V monophase
Total consumption motor + burner	500 W




PVP 150



n° 14/18





Rotating ovens - COMBO -

JOY 110TW WOOD/COMBO



Baking surface of 110 cm. Pavesi ROTATING SINGLE BLOCK, capacity for 6/8 pizzas.


A small yet extremely reactive oven. We prefer not to indicate the hourly production rate, as it is linked to many other factors like the production capacity of the staff and the work area. It's up to you to find out. You'll be surprised.

- User friendly
- Rotation speed control
- Cooking plate always at the ideal temperature
- Recommended for those who must cook large quantities of pizzas as quickly as possible

All Pavesi revolving wood ovens can be supplied with the electronically managed Avanzini gas burner, including a special stainless steel protection that protects the nozzles of the burner from the soot of wood, so they can safely work with gas and with wood.

JOY 110TW wood	€ 16 100
JOY 110TW wood + gas	+ burner D2 € 2 400

Inside dimensions	110 cm
Weight	1420 kg
Dome thickness	8/10
Cook top.- cover distance	42 cm
Cook top height from ground	115/125 adjustable
Base insulation thickness (microporous panels)	10 cm
Dome insulation thickness (kaolin blanket)	12 cm
Chimney flue Ø	20 cm
Smokes temperature at the vent	300 ° - 25 g/sec (50m3/Hr)
Static pressure	12 Pa
Consumption	400 W
Total consumption motor + burner	500 W
m2 mosaic (option)	4m2



JOY 110 TW



n° 6/8



JOY 130TW WOOD/COMBO



Baking surface diameter of 130 cm. , Pavesi ROTATING SINGLE BLOCK, capacity for 10/12 pizzas.


Designed to provide a working tool of the highest standard but still unique, because it is strongly characterized in terms of aesthetics, almost a piece of design.

- User friendly
- Rotation speed control
- Cooking plate always at the ideal temperatures
- Recommended for those who must bake large quantities of pizzas as quickly as possible

All Pavesi revolving wood ovens can be supplied with the electronically managed Avanzini gas burner, including a special stainless steel protection that protects the nozzles of the burner from the soot of wood, so they can safely work with gas and with wood.

JOY 130TW wood	€ 17 910
JOY 130TW wood + gas	+ burner D2 € 2 400

Inside dimensions	130 cm
Weight	1600 kg
Dome thickness	8/10 cm
Cook top.- cover distance	42 cm
Cook top height from ground	115/125 adjustable
Base insulation thickness (microporous panels)	10 cm
Dome insulation thickness (kaolin blanket)	12 cm
Chimney flue Ø	20 cm
Smokes temperature at the vent	300 ° - 25 g/sec (50m3/Hr)
Static pressure	12 Pa
Consumption	400 W
Total consumption motor + burner	500 W
m2 mosaic (option)	5m2



TWISTER SIDE WOOD/COMBO




- ROTATING MONOBLOCK auto-dilating baking surface
- Wood fired
- Gas burner optional
- Single opening
- Wood stack and ash discharge left, right and middle
- Uniform heat distribution
- Production capacity that can exceed 160 pizzas / hour and 400 pizzas baked in succession (data gathered directly from pizza restaurants)

The Twister Side is ideally suited for large restaurants or pizzerias whose work load is concentrated in just a few hours, with the need to retain the traditional wood fired baking feel and the desire to provide its clients with a perfect product at all times, while saving on time and labor.

All Pavesi rotating wood ovens can be supplied with the electronically managed Avanzini gas burner, including a special stainless steel protection that protects the nozzles of the burner from the soot of wood, so they can safely work with gas and with wood.

Twister wood	€ 17 570
Twister wood + gas	+ burner D2 € 2 400

Revolving plate diameter	130 cm
Weight	1600 kg
Dome thickness	8/10 cm
Cook top - cover distance	42 cm
Cook top height from ground	115/125 cm adjustable
Base Insulation Thickness (Microporous Panels)	10/15 cm
Dome Insulation Thickness (Kaolin Blanket)	10 cm
Chimney Flue Ø	20 cm
Smokes temperature at the vent	300 ° - 25 g/sec (50m3/Hr)
Static pressure	12 Pa
Consumption	400 W
Total consumption motor + burner	500 W



PVP 130TW ROUND WOOD/COMBO



- Baking surface diameter of 130 cm.
- Pavesi rotating SINGLE BLOCK
- Capacity for 10/12 pizzas
- Single 62x24 opening
- Ideal for tray baked pizza
- FLAT VAULT, round
- High-thickness walls in refractory cement to further increase the heat accumulation (thermal flywheel)
- Wood stack and ash discharge left and right
- Heats from 100° C. to 300° C. in approx. 45 minutes (data measured using dry wood and 20 cm. insulated flue)

A small yet extremely reactive oven.


We prefer not to indicate the hourly production rate, as it is linked to many factors such as the production capacity of the staff and the work area.

That will be up to you to find out. You'll be surprised.

All Pavesi rotating wood ovens can be supplied with the electronically managed Avanzini gas burner, including a special stainless steel protection that protects the nozzles of the burner from the soot of wood, so they can safely work with gas and with wood.

PVP 130TW round	€ 17 570
PVP 130TW ROUND wood + gas	+ burner D2 € 2 400

Revolving plate diameter	130 cm
Weight	1500 kg
Dome thickness	7,5 cm
Cook top - cover distance	37 cm
Cook top height from ground	115/125 cm adjustable
Base Insulation Thickness (Microporous Panels)	15 cm
Dome Insulation Thickness (Kaolin Blanket)	10/20 cm
Chimney Flue Ø	20 cm
Smokes temperature at the vent	300 ° - 25 g/sec (50m3/Hr)
Static pressure	12 Pa
Consumption	400 W
Total consumption motor + burner	500 W



PVP 150TW ROUND WOOD/COMBO



- Baking surface of 150 cm.
- Pavesi rotating single block
- Capacity for 14/18 pizzas
- Single 62x24 opening
- Ideal for tray baked pizza
- FLAT VAULT, round
- High-thickness walls in refractory cement to further increase the heat accumulation (thermal flywheel)
- Wood stack and ash discharge left, and right
- Heats from 100° C. to 300° C. in approx. 60 minutes (data measured using dry wood and 20 cm. insulated flue)


The opening of the PVP ROUND leaves the classic brick for an elegant, molded and painted steel bow able to give the oven a decisive modern touch. An oven that can fully meet the needs of all those restaurants that have to work a lot for many hours.

A large, even huge oven yet still extremely reactive.

All Pavesi rotating wood ovens can be supplied with the electronically managed Avanzini gas burner, including a special stainless steel protection that protects the nozzles of the burner from the soot of wood, so they can safely work with gas and with wood.

PVP 150TW ROUND wood	€ 19 730
PVP 150TW ROUND wood + gas	+ burner D2 € 2 400

Revolving plate diameter	150 cm
Weight	1750 kg
Dome thickness	8 cm
Cook top - cover distance	37 cm
Cook top height from ground	115/125 cm adjustable
Base Insulation Thickness (Microporous Panels)	15 cm
Dome Insulation Thickness (Kaolin Blanket)	10/20 cm
Chimney Flue Ø	25 cm
Smokes temperature at the vent	300 ° - 25 g/sec (50m3/Hr)
Static pressure	12 Pa
Consumption	400 W
Total consumption motor + burner	500 W





Static ovens

JOY 90 WOOD/COMBO



This monoblock auto-dilating baking oven is recommended for restaurants seating a maximum of 20 people or for anyone who simply wishes to give an extra service to the customers without losing space. It's also ideal for baking pizza at home or in the garden with the help of a professional oven.


Exceptional performance, compact size, power consumption in line with our traditional ovens, perfect baking for the entire evening. Designed to provide a working tool of the highest standard but still unique, because it is strongly characterized in terms of aesthetics, almost a piece of design.

Through the installation of the manual Avanzini gas burner, the Joy 90 wood oven can cook also on gas.

JOY 90 wood	€ 4 620
JOY 90 gas	+ burner D1 € 2 400

Inside Dimentions	86 x 81 cm
Weight	300 kg
Dome Thickness	8 cm
Cook Top - Cover Distance	40 cm
Cook top height from ground	116 cm
Base Insulation Thickness (Microporous Panels)	10 cm
Dome Insulation Thickness (Kaolin Blanket)	12 cm
Chimney Flue Ø	14,5/15 cm
Smokes temperature at the vent	300 ° - 25 g/sec (50m3/Hr)
Static pressure	12 Pa
Monoblock cooking plate	Burner Drago P1
Thermal potential	min. 6 - max. 10 Kw
Thermal potential	min. 5 000 - max. 13 000 Kcal/h

Gas pressure nat. gas	min. 15/25 max. 25/50 mbar
Gas flow nat. gas	min. 0,63/0,20 max. 1,58/0,54 Nm3/h
Gas coupling	1/2 inches
Weight	4 kg



JOY 120

WOOD/COMBO



Small wood fired oven with the capacity to bake up to 4/5 pizzas. It has a MONOBLOCK cooktop and is recommended for restaurants seating a maximum of 40/50 people or for anyone who simply wishes to give an extra service to the customers without losing space.


Exceptional performance, compact size, power consumption in line with our traditional ovens, perfect baking for the entire evening. Designed to provide a working tool of the highest standard but still unique, because it is strongly characterized in terms of aesthetics, almost a piece of design.

All Pavesi traditional wood ovens can be supplied with the electronically managed Avanzini gas burner, including a special stainless steel protection that protects the nozzles of the burner from the soot of wood, so they can safely work with gas and with wood.


JOY 120 wood	€ 8 400
JOY 120 gas	+ burner D2 € 2 400

Inside Dimentions	120 x 115 cm
Weight	860 kg
Dome Thickness	8/10 cm
Cook Top - Cover Distance	42 cm
Cook top height from ground	115/125 cm aanpasbaar
Base Insulation Thickness (Microporous Panels)	10 cm
Dome Insulation Thickness (Kaolin Blanket)	12 cm
Chimney Flue Ø	20 cm
Smokes temperature at the vent	300 ° - 25 g/sec (50m3/Hr)
Static pressure	12 Pa
Monoblock cooking plate	Brander drago D2
Thermal potential	min. 6 - max. 34 Kw
Thermal potential	min. 5 000 - max. 29 200 Kcal/h

Gas pressure nat. gas	min. 7/20 max. 25/50 mbar
Gas flow nat. gas	min. 0,63/0,20 max. 3,59/1,22
Gas coupling	1/2 inches
Weight	8 kg
Electrical power supply	230 V monophase
Consumption burner	100 W
m2 mosaic (option)	4m2



JOY 120
n° 4/5



JOY 120
n° 5/6

JOY 140 WOOD/COMBO



Perfectly circular with a maximum capacity between 6 and 8 pizzas. MONOBLOCK auto-dilating oven. Production capacity of over 100 pizzas/ hour. The highest productivity at very low cost.


Exceptional performance, compact size, power consumption in line with our traditional ovens, perfect baking for the entire evening. Designed to provide a working tool of the highest standard but still unique, because it is strongly characterized in terms of aesthetics, almost a piece of design.

All Pavesi traditional wood ovens can be supplied with the electronically managed gas burner Avanzini, including a special stainless steel protection that protects the nozzles of the burner from the soot of wood, so they can safely work with gas and with wood.

JOY 140 wood	€ 8 960
JOY 140 gas	+ burner D2 € 2 400

Inside Dimentions	140 x 135 cm
Weight	1320 kg
Dome Thickness	8/10 cm
Cook Top - Cover Distance	42 cm
Cook top height from ground	115/125 cm adjustable
Base Insulation Thickness (Microporous Panels)	10 cm
Dome Insulation Thickness (Kaolin Blanket)	12 cm
Chimney Flue Ø	20 cm
Smokes temperature at the vent	300 ° - 25 g/sec (50m3/Hr)
Static pressure	12 Pa
Monoblock cooking plate	Brander drago D2
Thermal potential	min. 6 - max. 34 Kw
Thermal potential	min. 5 000 - max. 29 200 Kcal/h

Gas pressure nat. gas	min. 7/20 max. 25/50 mbar
Gas flow nat. gas	min. 0,63/0,20 max. 3,59/1,22
Gas coupling	1/2 inches
Weight	8 kg
Electrical power supply	230 V monophase
Consumption burner	100 W
m2 mosaic (option)	4m2



JOY 140/160 WOOD/COMBO



MONOBLOCK auto-dilating cooktop with a maximum capacity between 9 and 11 pizzas. Production capacity of over 120 pizzas/ hour. The highest productivity at very low cost.


Designed to provide a working tool of the highest standard but still unique, because it is strongly characterized in terms of aesthetics, almost a piece of design.

All Pavesi traditional wood ovens can be supplied with the electronically managed gas burner Avanzini, including a special stainless steel protection that protects the nozzles of the burner from the soot of wood, so they can safely work with gas and with wood.

JOY 140/160 wood	€ 9 530
JOY 140/160 gas	+ burner D2 € 2 400

Inside Dimentions	140 x 155 cm
Weight	1600 kg
Dome Thickness	8/10 cm
Cook Top - Cover Distance	42 cm
Cook top height from ground	115/125 cm adjustable
Base Insulation Thickness (Microporous Panels)	15 cm
Dome Insulation Thickness (Kaolin Blanket)	12 cm
Chimney Flue Ø	20 cm
Smokes temperature at the vent	300 ° - 25 g/sec (50m3/Hr)
Static pressure	12 Pa
Monoblock cooking plate	Burner drago D2
Thermal potential	min. 6 - max. 34 Kw
Thermal potential	min. 5 000 - max. 29 200 Kcal/h

Gas pressure nat. gas	min. 7/20 max. 25/50 mbar
Gas flow nat. gas	min. 0,63/0,20 max. 3,59/1,22
Gas coupling	1/2 inches
Weight	8 kg
Electrical power supply	230 V monophase
Consumption burner	100 W
m2 mosaic (option)	4m2



RPM 120 WOOD/COMBO






Small yet has the capacity to bake 4/5 pizzas with either wood or gas. This MONOBLOCK auto-dilating baking oven is ideal for restaurants seating a max of 40/50 people or for anyone who simply wants to provide its clients with an added service without losing too much space.

All Pavesi traditional wood ovens can be supplied with the electronically managed gas burner Avanzini, including a special stainless steel protection that protects the nozzles of the burner from the soot of wood, so they can safely work with gas and with wood.

RPM 120 wood	€ 7 640
RPM 120 gas	+ burner D2 € 2 400

Inside Dimentions	120 x 115 cm
Weight	1100 kg
Dome Thickness	8/10 cm
Cook Top - Cover Distance	42 cm
Cook top height from ground	122 cm
Base Insulation Thickness (Microporous Panels)	15 cm
Dome Insulation Thickness (Kaolin Blanket)	10 cm
Chimney Flue Ø	20 cm
Smokes temperature at the vent	300 ° - 25 g/sec (50m3/Hr)
Static pressure	12 Pa
Monoblock cooking plate	Burner drago D2
Thermal potential	min. 6 - max. 34 Kw
Thermal potential	min. 5 000 - max. 29 200 Kcal/h

Gas pressure nat. gas	min. 7/20 max. 25/50 mbar
Gas flow nat. gas	min. 0,63/0,20 max. 3,59/1,22
Gas coupling	1/2 inches
Weight	8 kg
Electrical power supply	230 V monophase
Consumption burner	100 W



RPM 140 WOOD/COMBO




MONOBLOCK auto-dilating oven that's perfectly circular. It has a maximum capacity between 6 and 8 pizzas, both wood and gas fired. Production capacity of over 100 pizzas/ hour. This oven guarantees the highest productivity at very low cost.

All Pavesi traditional wood ovens can be supplied with the electronically managed gas burner Avanzini, including a special stainless steel protection that protects the nozzles of the burner from the soot of wood, so they can safely work with gas and with wood.

RPM 140 wood	€ 7 830
RPM 140 gas	+ burner D2 € 2 400

Inside Dimentions	140 x 135 cm
Weight	1250 kg
Dome Thickness	8/10 cm
Cook Top - Cover Distance	42 cm
Cook top height from ground	122 cm
Base Insulation Thickness (Microporous Panels)	15 cm
Dome Insulation Thickness (Kaolin Blanket)	10 cm
Chimney Flue Ø	20 cm
Smokes temperature at the vent	300 ° - 25 g/sec (50m3/Hr)
Static pressure	12 Pa
Monoblock cooking plate	Burner drago D2
Thermal potential	min. 6 - max. 34 Kw
Thermal potential	min. 5 000 - max. 29 200 Kcal/h

Gas pressure nat. gas	min. 7/20 max. 25/50 mbar
Gas flow nat. gas	min. 0,63/0,20 max. 3,59/1,22
Gas coupling	1/2 inches
Weight	8 kg
Electrical power supply	230 V monophase
Consumption burner	100 W



RPM 140/160 WOOD/COMBO



Capable of cooking up to 11 pizzas, both wood and gas fired, MONOBLOCK auto-dilating baking surface.

Identical power consumption as the 140 model, but with a greater productivity (one can easily produce more than 120 pizzas / hour.)



Ideal for large restaurants or pizzerias whose work load is concentrated in a few hours. Excellent for giant pizzas with a diameter of over 40 cm.

All Pavesi traditional wood ovens can be supplied with the electronically managed gas burner Avanzini, including a special stainless steel protection that protects the nozzles of the burner from the soot of wood, so they can safely work with gas and with wood.

RPM 140/160 wood	€ 8 400
RPM 140/160 gas	+ burner D2 € 2 400

Inside Dimentions	140 x 155 cm
Weight	1400 kg
Dome Thickness	8/10 cm
Cook Top - Cover Distance	42 cm
Cook top height from ground	122 cm
Base Insulation Thickness (Microporous Panels)	15 cm
Dome Insulation Thickness (Kaolin Blanket)	10 cm
Chimney Flue Ø	20 cm
Smokes temperature at the vent	300 ° - 25 g/sec (50m3/Hr)
Static pressure	12 Pa
Monoblock cooking plate	Burner drago D2
Thermal potential	min. 6 - max. 34 Kw
Thermal potential	min. 5 000 - max. 29 200 Kcal/h



Gas pressure nat. gas	min. 7/20 max. 25/50 mbar
Gas flow nat. gas	min. 0,63/0,20 max. 3,59/1,22
Gas coupling	1/2 inches
Weight	8 kg
Electrical power supply	230 V monophase
Consumption burner	100 W



RPM 140/160



n° 9/11



RPM 140/160



n° 10/12

RPM 140/180 WOOD/COMBO



The largest of our standard range of ovens, both wood and gas fired, MONOBLOCK auto-dilating baking surface.


Can cook up to 16 pizzas with staggering productivity levels (it can even cook as many as 150/160 pizzas / hour.) Ideal for the production of pizza by the meter. Compared to other ovens with similar baking surface dimensions, it is very small and uses very little power.

All Pavesi traditional wood ovens can be supplied with the electronically managed gas burner Avanzini, including a special stainless steel protection that protects the nozzles of the burner from the soot of wood, so they can safely work with gas and with wood.

RPM 140/180 wood	€ 8 960
RPM 140/180 gas	+ burner D2 € 2 400

Inside Dimentions	140 x 175 cm
Weight	1550 kg
Dome Thickness	8/10 cm
Cook Top - Cover Distance	42 cm
Cook top height from ground	122 cm
Base Insulation Thickness (Microporous Panels)	15 cm
Dome Insulation Thickness (Kaolin Blanket)	10 cm
Chimney Flue Ø	20 cm
Smokes temperature at the vent	300 ° - 25 g/sec (50m3/Hr)
Static pressure	12 Pa
Monoblock cooking plate	Burner drago D2
Thermal potential	min. 6 - max. 34 Kw
Thermal potential	min. 5 000 - max. 29 200 Kcal/h

Gas pressure nat. gas	min. 7/20 max. 25/50 mbar
Gas flow nat. gas	min. 0,63/0,20 max. 3,59/1,22
Gas coupling	1/2 inches
Weight	8 kg
Electrical power supply	230 V monophase
Consumption burner	100 W



A close-up photograph of a Pavesi oven. The oven has a dome covered in a mosaic of small, irregular tiles in shades of green and blue. A stainless steel chimney pipe extends upwards from the top of the oven. The oven is set within a dark-colored wall. The text "FINISHING OPTIONS" and "- Pavesi ovens -" is overlaid in large, bold, black letters across the center of the image.

FINISHING OPTIONS

- Pavesi ovens -

MOSAIC

BASE

V1	Bianco	€ 59/m2	
V20	Nero	€ 75/m2	
V78	Verde bottiglia	€ 59/m2	
UB28	Acquamarina	€ 59/m2	
V90	Blu	€ 59/m2	
V5	Giallo	€ 156/m2	
V6	Arancio	€ 156/m2	
V8	Rosso	€ 156/m2	
V16	Verde scuro	€ 59/m2	

PROJECT PLUS

P4	Verde mix	€ 147/m2	
M24	Marrone mix	€ 147/m2	
V3231	Lilla mix	€ 154/m2	
P8	Nero mix	€ 154/m2	

GOLD

L5	Gold	€ 395/m2	
L6	Silver	€ 395/m2	
GA11	Bianco	€ 180/m2	
GA12	Ramato	€ 195/m2	



Please note: these are the mosaic prices, without placement

RAL-COLOR

€ 500 for complete dome in a RAL-color of your choice.



Full list of RAL-colors available upon request.



For 70 years, Zanolli has designed and manufactured ovens and machines for pizzerias, pastry shops and bakeries. Traditional Italian ingenuity and attention to the very latest technology make Zanolli a guarantee of 100% Italian excellence both in Italy and abroad, as well as one of the best established companies in the sector.

Thanks to an extensive network of distributors and retailers, Zanolli exports all over the world applying same care and attention as within its Italian home territory.

The superior quality of the Zanolli models is also ensured by a certified production process as well as dialogue with customers and professionals and is perfected by the extensive training provided by the company.



Electric/gas ovens

SYNTHESIS



Synthesis is a revolutionary modular tunnel oven. After you have:


- programmed the correct temperature
- determined the movement speed of the conveyor
- prepared your recipe
- placed it on the conveyor

you can focus on something else! After all, there is no need to monitor the product while it is cooking, as the oven itself pushes it away from the heat to prevent burning. Synthesis can cook pizza, grilled vegetables, gourmet or pastries.

All Synthesis ovens are stackable therefore making it possible to multiply productivity (in the same space) during peak hours. In case of reduced productivity, it is possible to use only one cooking module, which results in significant energy savings.

Maximum temperature of 320 °C, more than enough for a perfect baking result thanks to the ventilation system.

The new ECONOMY function is the ideal solution to keep the oven warm between baking sessions, avoiding the loss of energy and time due to the normal cooling temperature drop of the oven.



BAKING UNIT

	EXT. (cm)	INT. (cm)	Gas (kW)	Elec. (kW)	KG	€
SYNTHESIS 05/40 VE COMPACT/MC DIG*	80x127x39	40x57x9	-	6.3	77	€ 5 570
SYNTHESIS 06/40 VE/ MC DIG	98x130x44	40x58x9,5	-	7.9	105	€ 7 170
SYNTHESIS 06/40 V GAS/MC DIG	103x130x44	40x58x9,5	9	0.44	115	€ 7 390
SYNTHESIS 08/50 V PW E/MC DIG	126x175x49	50x85x10	-	14.2	180	€ 11 560
SYNTHESIS 08/50 V PW GAS/MC DIG	126x175x49	50x85x10	13.9	0.44	200	€ 11 670
SYNTHESIS 11/65 VE/ MC DIG	140x200x55	65x110x10	-	18.5	222	€ 15 070
SYNTHESIS 11/65 V GAS/MC DIG	155x200x55	65x110x10	24	0.44	252	€ 15 200
SYNTHESIS 12/80 VE/ MC DIG	165x218x60	80x120x10	-	24.9	295	€ 16 590
SYNTHESIS 12/80 V GAS/MC DIG	168x218x60	80x120x10	30	0.44	315	€ 16 800
SYNTHESIS 12/100 VE/ MC DIG	182x245x72	100x130x10	-	44.9	450	€ 20 440
SYNTHESIS 12/100 V GAS/MC DIG	198x245x72	100x130x10	45	0.88	490	€ 21 620



BASE

	EXT. (cm) 1-2MC	INT. (cm) 3MC	KG 1-2MC	KG 3MC	€
SYNTHESIS 05/40 E COMPACT/BM*	69x53x64,5	69x53x44,5	18.5	16	€ 680
SYNTHESIS 06/40 E/BM	71,5x58x63	71,5x58x40	28.5	23	€ 680
SYNTHESIS 06/40 GAS/BM	76,5x58x63	76,5x58x40	30	23.5	€ 680
SYNTHESIS 08/50 E/BM	104x85x59	104x85x18	34.5	15	€ 680
SYNTHESIS 11/65 E/BM	120x110x56	120x110x17	38.5	17.5	€ 680
SYNTHESIS 11/65 GAS/BM	132x110x56	132x110x17	40	18	€ 680
SYNTHESIS 12/80 E/BM	144x120x54	144x120x18	42	19.5	€ 680
SYNTHESIS 12/100 E/BM	155,5x130x48	-	47.5	-	€ 680
SYNTHESIS 12/100 GAS/BM	171,5x130x48	-	49	-	€ 680

CITIZEN PW



The Citizen PW electric oven is suitable especially, but not only, for baking pizza. With the standard steam release valve, you can also cook other recipes. Depending on your specialty, you can make round pizzas, pizzas on plate, as well as all specialties of gastronomy. You can choose between the one- or two-room version and build the oven according to your production requirements with the additional possibility of placing up to 3 modules side by side.

The Citizen is truly complete in the electromechanical model with the digital version. In addition to the temperature control and the differentiated setting of the vault and the floor, you can program the ignition of the cooking space on any day of the week and choose from 9 available cooking cycles that you want to activate.

Keeping consumption and protection of the environment in mind, the oven is equipped with an "economical" energy saving regime, which reduces the immediate consumption by half when the production cycle allows it.

You can now choose to fully coat the baking chamber with refractory material and equip your oven with a reinforced resistance kit to obtain extreme performance.



TOP

	EXT. (cm)	KG	kW	€
CITIZEN PW 6 / TP*	142x132x23	30	-	€ 650
CITIZEN PW 9 / TP*	142x167x23	34	-	€ 780
CITIZEN PW 6 / CA 400m3/h**	142x132x23	34	1	€ 970
CITIZEN PW 9 / CA 400m3/h**	142x167x23	38	1	€ 1 110
CITIZEN PW 6 / CA 600m3/h***	142x132x55	45	1	€ 1 400
CITIZEN PW 9 / CA 600m3/h***	142x167x55	49	1	€ 1 520

*top equipped with fitting for natural draft-chimney

** top with forced suction (capacity 400 m3/h)

*** top with forced suction (capacity 600 m3/h)

ACCESSOIRES BAKING UNIT

	CITIZEN 6	CITIZEN 9
Full refractory lining for one baking chamber (the baking surface doesn't change)	€ 680	€ 800
Kit of enhanced heating elements for one baking chamber	€ 530	€ 1 060
Electronic version with economy and automatic start function (one baking chamber)	€ 550	€ 1 100
When only one baking unit is purchased with a proofer, we recommend to also purchase a cm 30 H support	€ 390	€ 430



BAKING UNIT

	EXT. (cm)	INT. (cm)	°n pizza	KG	MAX kW	AVERAGE kW	€
CITIZEN PW 6 / MC	142x103x43	105x70x16	6	155	8.8	4.6	€ 3 640
CITIZEN PW 6+6 / MC	142x103x78	105x70x16	6+6	260	8.8 + 8.8	4.6 + 4.6	€ 6 000
CITIZEN PW 9 / MC	142x138x43	105x105x16	9	200	11.2	5.7	€ 3 900
CITIZEN PW 9+9 / MC	142x138x78	105x105x16	9+9	315	11.2 + 11.2	5.7 + 5.7	€ 6 640

PROOFING CABINET



	EXT. (cm)	°n PANS (40x60)	KG	kW	€
CITIZEN PW 6 /CL	142x91x95	14	130	1	€ 2 130
CITIZEN PW 9 /CL	142X126X95	14	145	1.5	€ 2 360



BASE

	DIM. (cm) 1MC	DIM. (cm) 2MC	DIM. (cm) 3MC	KG 1MC	KG 2MC	KG 3MC	€
CITIZEN PW 6 /BM	142x91x125	142x91x95	142x91x71	50	43	37	€ 930
CITIZEN PW 9 /BM	142x126x125	142x126x95	142x126x71	53	46	40	€ 1 010

ACCESSOIRES BASE

	€
Pan-holding trolley for base	€ 410
Bottom shelf for base	contact us

CITIZEN GAS



Citizen gas ovens are not only ideal for all types of pizza, but also for gourmet cooking. The standard refractory lining of the top and bottom and the placement of the burner under the chamber ensure optimal heat circulation and therefore an even cooking process.



TOP

	EXT. (cm)	KG	kW	€
CITIZEN GAS 6 / TP*	145x145x23	26,5	-	€ 650
CITIZEN GAS 9 / TP*	145x180x23	28	-	€ 780
CITIZEN GAS 6 / CA 400m3/h**	145x145x23	30,5	1	€ 970
CITIZEN GAS 9 / CA 400m3/h**	145x180x23	32	1	€ 1 100
CITIZEN GAS 6 / CA 600m3/h***	145x145x51,5	41,5	1	€ 1 400
CITIZEN GAS 9 / CA 600m3/h***	142x167x51,5	43	1	€ 1 550

*top equipped with fitting for natural draft-chimney

** top with forced suction (capacity 400 m3/h)

*** top with forced suction (capacity 600 m3/h)



BAKING UNIT

	EXT. (cm)	INT. (cm)	°n pizza	KG	GAS kW (kcal/h)	Elect. kW	€
CITIZEN PW 6 / MC	145x118x56	105x70x16	6	245	13 (11.300)	0.1	€ 5 250
CITIZEN PW 9 / MC	145x153x56	105x105x16	9	320	20 (17.300)	0.1	€ 5 890



PROOFING CABINET

	EXT. (cm)	°n pans (40x60)	KG	kW	€
CITIZEN GAS 6 PW/CL 61	145x92x61	6	100	1	€ 2 130
CITIZEN GAS 9 PW /CL 61	145x127x61	6	120	1.5	€ 2 360



BASE

	DIM. (cm) 1MC	DIM. (cm) 2MC	KG 1MC	KG 2MC	€
CITIZEN GAS 6 PW/BM	145x92x111	145x92x61	47	36	€ 933
CITIZEN GAS 9 /BM	145x127x111	145x127x61	50	39	€ 1 010

ACCESSORIES BASE

	€
Pan-holding trolley for base	€ 410
Bottom shelf for base	contact us

CITIZEN EP



The Citizen EP electric ovens are perfect for baking pizzas both in a tray and directly on the refractory stone.

The internal dimension of the chamber is 70 centimeters wide, which makes the Citizen EP 70 even more efficient, as it can bake 4 pizzas with a diameter of 33 centimeters while maintaining its small size.

TOP



	EXT. (cm)	KG	kW	€
CITIZEN EP 70/TP	99x121x23	22	-	€ 650
CITIZEN EP 70/CA 400 M3H	99x121x23	26	1	€ 970

BAKING UNIT



	EXT. (cm)	INT. (cm)	°n pizza	KG	kW	€
CITIZEN EP 70 4/MC	99x99x35	70x70x12	4	100	5.6	€ 2 360
CITIZEN EP 70 4+4 / MC	99x99x59	70x70x12	4 + 4	150	5.6 + 5.6	€ 3 470

	EXT. (cm)	INT. (cm)	°n pizza	KG	kW	€
CITIZEN EP 70 4/MC + digital thermometer	99x99x35	70x70x12	4	100	5.6	€ 2 570
CITIZEN EP 70 4+4 / MC + digital thermometer	99x99x59	70x70x12	4 + 4	150	5.6 + 5.6	€ 3 920

BASE



	EXT. (cm) 1-2MC	EXT. (cm) 3MC	KG 1-2MC	KG 3MC	€
CITIZEN EP 70 / WITH FEET	99x87x101	99x87x86	29	27	€ 580
CITIZEN EP 70 / WITH WHEEL	99x87x101	99x87x86	40	40	€ 790

ACCESSOIRES

BASE

	€
Pan-holding trolley for base	€ 410
Bottom shelf for base	contact us

ROMEO



Romeo is a small static electric tunnel oven designed for cooking frozen products, toasting bread and heating up filled snacks such as paninis and sandwiches. Mainly intended for sandwich bars and snack bars, however it is also successfully employed in restaurants and hotels.

	EXT. (cm)	INT. (cm)	KG	kW	€
Romeo 76	75x31x32	50x22x9,5	18	3	€ 2 040

VULCANO



The VULCANO ovens are static ovens with fixed fire, designed for baking pizzas, reheating pizzas and dishes on a plate and baking gourmet products. Featuring a stainless steel structure and user-friendly controls, these ovens are designed to ensure easy and durable operation.

	EXT. (cm)	INT. (cm)	KG	MAX kW	AVERAGE kW	€
VULCANO 40	56x46x29	40x40x11	26	2.2	1.1	€ 860
VULCANO 40+40	56x46x54	40x40x11	46	4.4	2.2	€ 1 400

AVGVSTO



The new Zanoli dome oven combines the traditional aesthetic with the ease of using electric ovens, guaranteeing high performance. It is available in the version for 6 or 9 pizzas, maximum temperature 500 °C and baking chamber completely covered with refractory ceramic.

General technical properties:

- Maximum temperature 500°C (reached in only 90 minutes)
- LED interior lighting
- Stone wool thermal insulation for high temperatures
- Cooking chamber fully lined with refractory ceramic
- Antique door keeps the heat inside the chamber after cooking
- Refractory bottom: thickness 3 cm
- Cooking chamber height: 12,5 cm
- 45 cm antique black granite support
- 15 cm d fitting prepared for easy connection to central exhaust system
- Armoured heating elements
- Lacquered base, mounted on wheels or feet
- Oven dismountable in 5 macro parts for a comfortable installation
- Electric versions for 6 and 9 pizzas (gas since 2020)

Control panel

- Electromechanical controls concealed by slide cover
- Electronically displayed temperatures
- Self-diagnostics with error message display
- Independent adjustment of the temperature of the oven top and bottom with dual probe (maximum temperature 500°C reached in just 90 minutes)
- Independent adjustment of the power of the oven top and bottom (scale 0-100%)

	EXT. (cm)	INT. (cm)	n pizza	KG	MAX KW	AVERAGE KW	€
AVGVSTO 6	162x180x216	104x70x12,5	6	455	14.4	7.2	€ 14 560
AVGVSTO 9	191x212x218	104x105x12,5	9	550	19.2	9.6	€ 17 980

Base closed on three sides	€ 840 / € 1070
Retractable rack for peels with accessories	€ 1100
Feet	€ 330
Dome color	€ 640
Unpainted white dome	- € 100

*AVGVSTO® is shipped fully assembled and with special packaging. The crate is included in the delivery

*When placing the order, it is possible to request that AVGVSTO is shipped disassembled in two special packages



Bronze
(standard)



Red



Blue



Gold



White

TEOREMA POLIS



The key word is versatility. If you can't find the variant you are looking for, you can create it with Teorema Polis for all types of use: pastries, bakeries and pizzerias.

You can choose from different baking chamber heights:

18 cm for baking pizzas or small pastries

30 cm for baking bread, pandoros or panettones

You can choose whether to cook on a plate or directly on the oven floor, and in this case you choose the bottom of the refractory baking chamber. Depending on your needs, you can add a fermentation chamber to your oven.

With the new digital control panel with electronic map of 20 programs, you can do the following:

- Activate the PRE HEATING function, which allows you to preheat the oven quickly or slowly.
- Activate the AUTO CLEANING function with which the baking chamber can be cleaned / disinfected.
- Activate the weekly scheduled ignition, with the possibility of two ignitions.
- Switch on daily.

There is no shortage of accessories. To make the oven even more efficient, Zanolli offers the vaporizer for the baking chamber and the humidifier for the fermentation chamber.

BAKING UNIT

	EXT. (cm)	INT. (cm)	KG	MAX KW	AVERAGE. KW	°N PANS	°N PIZZAS	€
T POLIS 2S / MC18	97x121x36	65x86x18	131	6.4	3.2	2	3	€ 5 140
T POLIS 2 / MC18	125x101x36	83x66x18	136	6	3	2	3	€ 5 140
T POLIS 2 / MC30	125x101x48	83x66x30	155	6	3	2	-	€ 5 250
T POLIS 3 / MC18	166x101x36	124x66x18	179	7.8	3.9	3	5	€ 5 460
T POLIS 3 / MC30	166x101x48	124x66x30	207	7.8	3.9	3	-	€ 5 460
T POLIS 4 / MC18	125x161x36	83x126x18	200	10	5	4	6	€ 5 560
T POLIS 4 / MC30	125x161x48	83x126x30	230	10	5	4	-	€ 5 780
T POLIS 6 / MC18	166x161x36	124x126x18	275	13	6.5	6	9	€ 6 000
SUPER	166x161x36	124x126x18	275	17	8.5	6	9	€ 6 000
T POLIS 6 / MC30	166x161x48	124x126x30	400	13	6.5	6	-	€ 6 200
SUPER	166x161x48	124x126x30	400	17	8.5	6	-	€ 6 200

BAKING SURFACE

	€
T2-T2S baking surface in refractory material	€ 230
T3 baking surface in refractory material	€ 330
T4 baking surface in refractory material	€ 430
T6 baking surface in refractory material	€ 540
T2-T2S baking surface in embossed metal sheet	€ 140
T3 baking surface in embossed metal sheet	€ 190
T4 baking surface in embossed metal sheet	€ 270
T6 baking surface in embossed metal sheet	€ 370

ACCESSORIES BAKING UNIT

	€
Single bred batch frames (width cm. 40)	€ 400
Single bred batch frames (width cm. 60)	€ 440
2,8 kW steam generator for baking unit T2-T2S-T3-T4	€ 1 500
3 kW steam generator for baking unit (Only POLIS 6)	€ 1 700

TOP

	EXT. (cm)	KG	€
T POLIS 2S/TP	97x148x23	27	€ 750
T POLIS 2 /TP	125x128x23	29	€ 750
T.POLIS 3 /TP	166x128x23	35	€ 780
T POLIS 4 /TP	125x188x23	34	€ 780
T POLIS 6 /TP	166x188x23	40	€ 820

*Top equipped with fitting for natural draft-chimney.

ACCESSORIES TOP

	€
Suction fan for top with forced suction (h+32 cm - capacity 600 m3/h)	€ 750

PROOFING CABINET

	EXT. (cm) 2MC	EXT. (cm) 3MC	°N PANS 2MC	°N PANS 3MC	KG 2MC	KG 3MC	KW	€
T POLIS 2S / CL	97x107x95	97x107x71	14	8	107	90	1	€ 2 470
T POLIS 2 / CL	125x87x95	125x87x71	14	8	112	86	1	€ 2 470
T POLIS 3 / CL	166x87x95	166x87x71	28	16	144	114	1.5	€ 2 620
T POLIS 4 / CL	125x147x95	125x147x71	21	12	152	123	1.5	€ 2 770
T POLIS 6 / CL	166x147x95	166x147x71	42	24	196	160	1.5	€ 2 850

**ACCESSOIRES
PROOFING
CABINET**

	€
Humidifier for proofer	€ 600

**VERTICAL
PROOFING
CABINET**

	EXT. (cm)	KG	DIM. PANS	°N PANS	MAX. TEMP. °C	KW	€
TEOREMA / CL	71x81x203	130	40x60 / 45x65	18	45	2.5	€ 6 000

BASE

	EXT. (cm) 1MC	EXT. (cm) 2MC	EXT. (cm) 3MC	EXT. (cm) 4MC	KG 1MC	KG 2MC	KG 3MC	KG 4MC	€
T POLIS 2S / BM	97x107x125	97x107x95	97x107x71	97x107x40	50	44	39	32	€ 1 050
T POLIS 2 / BM	125x87x125	125x87x95	125x87x71	125x87x40	52	45	40	33	€ 1 050
T POLIS 3 / BM	166x87x125	166x87x95	166x87x71	166x87x40	55	49	43	36	€ 1 050
T POLIS 4 / BM	125x147x125	125x147x95	125x147x71	125x147x40	57	51	45	38	€ 1 050
T POLIS 6 / BM	166x147x125	166x147x95	166x147x71	166x147x40	65	56	51	44	€ 1 180

**ACCESSOIRES
BASE**

	€
Pan-holding trolley for base	€ 410



Ovens at home

JOY 90



This monoblock auto-dilating baking oven is recommended for restaurants seating a maximum of 20 people or for anyone who simply wishes to give an extra service to the customers without losing space. It's also ideal for baking pizza at home or in the garden with the help of a professional oven.


Exceptional performance, compact size, power consumption in line with our traditional ovens, perfect baking for the entire evening. Designed to provide a working tool of the highest standard but still unique, because it is strongly characterized in terms of aesthetics, almost a piece of design.

Through the installation of the manual Avanzini gas burner , the Joy 90 wood oven can cook also on gas.

JOY 90 wood	€ 4 620
JOY 90 gas	+ burnerD1 € 2 400

Inside Dimensions	86 x 81 cm
Weight	300 kg
Dome thickness	8 cm
Cook top - cover distance	40 cm
Cook top height from ground	116 cm
Base insulation thickness (microporous panels)	10 cm
Dome insulation thickness (kaolin blanket)	12 cm
Chimney flue Ø	14,5/15 cm
Smokes temperature at the vent	300 ° - 25 g/sec (50m3/Hr)
Static pressure	12 Pa
Monoblock cooking plate	Burner Drago P1
Thermal potential	min. 6 - max. 10 Kw
Thermal potential	min. 5 000 - max. 13 000 Kcal/h

Gas pressure nat. gas	min. 15/25 max. 25/50 mbar
Gas flow nat. gas	min. 0,63/0,20 max. 1,58/0,54 Nm3/h
Gas coupling	1/2 inches
Weight	4 kg



DIY WOOD



You have to assemble this oven yourself. It comes as a do-it-yourself package. No base or color for the dome is included.

DIY 90 wood	€ 1 485
DIY 120 wood	€ 2 750

MACHINES

ROLLER



ROLLER P

ROLLER O

The Roller range of pizza base moulders is designed to facilitate the job of even the least experienced pizza maker; this fast and precise machine is the perfect tool to optimize your workflow.

Roller moulders are available in different models to meet the needs of master pizza makers who want either a rectangular pizza for tray baking or the traditional round base. The Roller O uses slanted rollers to produce the classic round pizza base. The moving arm guides and rotates the dough in the direction of the second roller.

The Roller P is designed to roll out tray-bake pizza bases. Time saving and optimal results are guaranteed.

SLANTED ROLLS

	DIM. (cm)	Ø PIZZA (cm)	PASTA (gr)	KG	kW	€
ROLLER 30 O	42x45x65	14/30	80/210	30	0.38	€ 1 400
ROLLER 40 O	55x46x72	14/40	80/400	37	0.38	€ 1 500
ROLLER 45 O	61x46x83	26/45	80/500	40	0.38	€ 1 720

PARELLEL ROLLS

	DIM. (cm)	Ø PIZZA (cm)	PASTA (gr)	KG	kW	€
ROLLER 40 P	55x46x75	14/40	100/700	37	0.38	€ 1 610
ROLLER 45 P	61x46x72	30/45	100/800	40	0.38	€ 1 820

DEVIL



The Devil hot moulding machine presses the balls of dough into the rounded shape of a pizza base. You can select the thickness of the dough and the pressing time using the simple controls on the front panel.

	DIM. (cm)	Ø PIZZA (cm)	PASTA (gr)	KG	kW	€
DEVIL 33	43x56x78	33	100/270	97	3.6	€ 4 610
DEVIL 45	58x67x78	45	100/500	133	5.6	€ 5 350

GALASSIA PIZZA



The spiral kneading machines in the Galassia Pizza range are reliable units designed to meet the numerous requirements of modern pizzerias. The high number of tank revolutions per minute allows dough to be processed starting from 55% of water up to higher levels of hydration.

TECHNICAL CHARACTERISTICS:

- Spiral in stainless steel, durable for heavy-duty professional use
- The chain transmission allows for a longer life and greater durability
- The 18 and 25 kg models can have a tilt back head in the Special versions, while the Super version has a tilt back head and removable bowl
- Galassia wheel kit (optional)



SPIRAL KNEADERS


	DIM. (cm)	DIM. bowl (cm)	SPEEDS	KG	kW	€
GALASSIA 12	34x63x57	31,7x21 (16 l)	1	48	0,55	€ 1 720
GALASSIA 12 S	34x63x57	31,7x21 (16 l)	2	48	0,75	€ 1 930
GALASSIA 12 VAR	34x63x57	31,7x21 (16 l)	VAR	48	0,75	€ 2 360
GALASSIA 18	38,5x73x66	36,5x24 (23 l)	1	69	0,75	€ 1 930
GALASSIA 18 S	38,5x73x66	36,5x24 (23 l)	2	69	0,75	€ 2 140
GALASSIA 18 VAR	38,5x73x66	36,5x24 (23 l)	VAR	69	0,75	€ 2 790
GALASSIA 25	42x76x66	40x26 (32 l)	1	73	1.1	€ 2 140
GALASSIA 25 S	42x76x66	40x26 (32 l)	2	73	1.1	€ 2 470
GALASSIA 25 VAR	42x76x66	40x26 (32 l)	VAR	73	1.1	€ 3 110
GALASSIA 35	48x84x76	45x26 (41 l)	1	118	1.5	€ 2 790
GALASSIA 35 S	48x84x76	45x26 (41 l)	2	118	1.5	€ 3 000
GALASSIA 35 VAR	48x84x76	45x26 (41 l)	VAR	118	1.5	€ 3 860
GALASSIA 45 S	52x89x87	50x34 (64 l)	2	148	1.8	€ 3 430
GALASSIA 45 VAR	52x89x87	50x34 (64 l)	VAR	148	1.8	€ 4 280
GALASSIA 60 S	57x95x92	55x34 (82 l)	2	158	1.8	€ 4 180
GALASSIA 60 VAR	57x95x92	55x34 (82 l)	VAR	158	1.8	€ 5 030

SPIRAL KNEADERS WITH TILTING HEAD

	DIM. (cm)	DIM. bowl (cm)	SPEEDS	KG	kW	€
GALASSIA 18 S SPECIAL	38,5x73x66	36,5x24(23 l)	2	44	0.37	€ 2 360
GALASSIA 25 S SPECIAL	42x76x66	40x26 (32 l)	2	73	1.1	€ 2 570
GALASSIA 35 S SPECIAL	48x84x76	45x26 (41 l)	2	118	1.1	€ 3 210



**SPIRAL KNEADERS
WITH TILTING
HEAD AND
REMOVABLE BOWL**



	DIM. (cm)	DIM. bowl (cm)	SPEEDS	KG	kW	€
GALASSIA 18 S SUPER	30x59x57	28x19,5 (12 l)	2	44	0.37	€ 2 570
GALASSIA 25 S SUPER	42x76x66	40x26 (32 l)	2	73	1.1	€ 2 790

**MAXIMUM
MIXTURE**

	KG
GALASSIA 12 - 12S	12
GALASSIA 18 - 18S - 18S SPECIAL - 18S SUPER	18
GALASSIA 25 - 25S - 25S SPECIAL - 25S SUPER	25
GALASSIA 35 - 35S	35
GALASSIA 45S	45
GALASSIA 60S	60

**MAXIMUM FLOUR
(MIN. WATER 55%)**

	KG
GALASSIA 12 - 12S	7
GALASSIA 18 - 18S - 18S SPECIAL - 18S SUPER	11
GALASSIA 25 - 25S - 25S SPECIAL - 25S SUPER	16
GALASSIA 35 - 35S	22
GALASSIA 45S	29
GALASSIA 60S	38

KIT OF WHEELS GALASSIA	€ 135
------------------------	-------

ERCOLINA PLUS



The ERCOLINA PLUS range supports you in the sensitive dough-portioning phase. With a single machine, you can make perfectly rounded balls at the exact size you want from a dough mixture.

The machines are available in manual (Ercolina Plus), semi- automatic (Ercolina Plus SA), and Automatic (Ercolina Plus A) versions.

TECHNICAL CHARACTERISTICS:

- The pressing plate and the cutting blades are made entirely of stainless steel
- In the Manual version, the 3 working phases (PRESSING, CUTTING, FORMING) are entirely controlled by you through the use of levers
- In the Semi-Automatic version, the electronic control panel allows 10 different PRESSING and CUTTING programs to be stored, while the ROUNDING phase is managed manually by using a lever
- In the Automatic version all the working phases are completely programmable

	DIM. (cm)	DIM. bowl (Ø cm)	DIM. bowl	KG	kW	€
Ercolina Plus	61x68x205	40	65	175	1.1	€ 9 630
Ercolina Plus SA	75x70x145	40	65	230	1.5	€ 13 700
Ercolina Plus A	66x70x145	40	65	230	1.5	€ 16 910

Divisions	Grammage	Loading capacity (kg)	Capacity per hour
11	180/500	2/5,5	1300
15	150/360	2,2/5,4	1800
22	60/220	1,3/4,8	2600
30	40/135	1,2/4	3600

Refrigeration

REFRIGERATED TABLE 2-DOORS



TP23/P9_SY160G/PP9

Refrigerated structure GN 6x1/3, with right glass
Refrigerated table 2 doors 600x400,
1 neutral drawers (4x trays 600x400)

	DIM. (cm)	€
Refrigerated table 2-doors	1610 x 720(800) x 856/950(1485)	€ 5 714

REFRIGERATED TABLE 2-DOORS



TP261/P9_SY198G/PP9

Refrigerated structure GN 8x1/3, 1x1/9, with right glass
 Refrigerated tables 2 doors 600x400,
 2 neutral drawers (8x trays 600x400)
 + utensils drawer

	DIM. (cm)	€
Refrigerated table 2-doors	2020 x 720(800) x 856/950(1485)	€ 6 433

REFRIGERATED TABLE 3-DOORS



TP361/P9_SY249G/PP9

Refrigerated structure GN 11x1/3, 1x1/9, with right glass
 Refrigerated tables 3 doors 600x400,
 2 neutral drawers (8x trays 600x400)
 + utensils drawer

	DIM. (cm)	€
Refrigerated table 3-doors	2560 x 720(800) x 856/950(1485)	€ 7 612

Zio Pepe Accessories

4 STAGIONI

Code	Name	Diameter (cm)	Length (cm)	Price
A33	4 stagioni shovel for traditional pizza	33	170	€ 135

A shovel made of a lightweight aluminum alloy suitable for contact with food. The shape and microporosity of the shovel are designed to facilitate the loading/unloading of pizzas without excess flour. The shape of the handle is designed to easily dissipate heat to avoid burning, and offers a better grip and flexibility.



4 STAGIONI

Code	Name	Model	Dimensions (cm) (d - h - l)	Price
AS4	4 stagioni wall support	single- single	8 - 3 - 27	€ 38

Support for the 4 Stagioni shovel in multi-layered beech, indispensable to place the shovel in a hygienic and functional way.



4 STAGIONI

Code	Name	Diameter (cm)	Length (cm)	Price
A35F	4 stagioni perforated shovel	35	170	€ 150

A shovel made of a lightweight aluminum alloy suitable for contact with food. The shape and microporosity of the shovel are designed to facilitate the loading and unloading of pizzas without excess flour. The small triangular holes allow excess flour to drain away. The shape of the handle is designed to easily dissipate heat to avoid burning, and offers a better grip and flexibility.



JOLLY

Code	Name	Model	Dimensions (cm) (d - h - l)	Price
ACOJ2	jolly support for shovels and brush	for maxi shovel	10 - 3 - 61	€ 61



Beech wall bracket to hygienically and functionally place an in-shovel, cooking shovel and brush, etc.

4 STAGIONI AMERICA ULTRALIGHT

Code	Name	Diameter (cm)	Length (cm)	Price
AM33FUL	4 stagioni ultralight perforated shovel	33	170	€ 153



A shovel made of a lightweight aluminum alloy suitable for contact with food. The shape and microporosity of the shovel are designed to facilitate the loading/unloading of pizzas without excess flour. The shape of the handle is designed to easily dissipate heat to avoid burning, and offers a better grip and flexibility.

STELLA

Code	Naam	Weight (gr)	Diameter (cm)	Weight (gr)	Prijs
A20R	stella shovel traditional	1250	20	170	€ 112



Made of stainless steel 18/10 and equipped with two ABS handles, one sliding and with coupling to facilitate the work, with a shield to prevent burns, guarantees stability and safety.

STELLA

Code	Name	Model	Dimensions (cm) (d - h - l)	Price
ACO	stella shovel wall support	wall part	9 - 3 - 23	€ 91
		ground part	10 - 16 - 32	



Support for one or two Stella multilayer beech shovels, allows correct positioning of the shovels, hygienic and functional. With aluminum support that can be disassembled for cleaning and upper support that can be positioned relative to the left or right handle.

SUPPORT


Code	Name	Model	Dimensions (cm) (d x h x l)	Price
ACS2	double free support holder	double support holder	85 x 25 x 165	€ 368

Double free support for two 4 Stagioni and two Stella shovels with white Carrara marble base and stainless steel structure with beech multilayer shovel supports and aluminum base. Elegant and practical for shovels. Designed for ovens where it is not possible to attach the supports to the wall.



SUPPORT

Code	Name	Model	Dimensions (cm) (d x h x l)	Price
ACD-ASTRIP destro (right)	double free support holder	double-sided single support	50 x 23 x 165	€ 310
ACS-ASTRIP sinistro (left)	double free support holder	double-sided single support	50 x 23 x 165	€ 310



ACCESSORIES

Code	Name	Model	Length (cm)	Price
ASPAZ	oven brush	base brush of natural fibers	160	€ 102
ARIZSPAZ	oven brush (head)	base brush of natural fibers	/	€ 46

The rounded head and angled bristles follow the curve of the oven, reaching every corner for complete cleaning. Equipped with a scraper to remove any spilled ingredients from the pizza during baking.



ACCESSORIES

Code	Name	Model	Length (cm)	Price
ATB	towbar for ashes	tow bar for ashes	170	€ 81

To remove and move coals and ashes.



ACCESSORIES

Code	Naam	Model	Afmetingen (cm)	Prijs
ACONTEN	pizza dough box	normal	60 x 40 x 7	€ 19
ACONTEN2	pizza dough box	maxi	60 x 40 x 10	€ 21
ACOPER	pizza dough box	lid	60 x 40 x 2	€ 19



Boxes for pizza dough, can be covered and are in PP suitable for food.

ACCESSORIES

Code	Name	Model	Dimensions (cm)	Price
DB035	heat bag	traditional (5 pizza's)	35 x 35 - h 22	€ 111



For transporting pizzas in the box, washable fabric with heat-sealing padding.

ACCESSORIES

Code	Name	Dimensions (cm)	Price
ACA	wood holder	15 x 14 x 37	€ 74



ACCESSORIES

Code	Name	Dimensions (cm)	Price
RSPN	steel spatula	11 x 11	€ 24



Flexible stainless steel spatula for removing dough from tray.

ACCESSORIES

Code	Name	Diameter (cm)	Price
RCUG	spoon for sauce	15	€ 24



Tomato sauce spoon in 18/10 stainless steel mono dose for quick portioning and spreading of tomato on pizza.

ACCESSORIES

Code	Name	Dimensions (cm)	Price
CARP	trolley for pizza dough box	72 x 44 x 73	€ 174



Trolley for pizza dough boxes with wheels, stainless steel structure.

ACCESSORIES

Code	Name	Diameter (cm)	Price
RROT	pizza roller	10	€ 37



Stainless steel pizza cutter with ergonomic and accident-resistant ABS handle for a firm and secure grip. Clean and precise cutting with little effort, convenient and functional to facilitate counter service.

STARTERSKIT

Code	Name	Quantity	Price
AM33FUL	4 stagioni ultralight perforated shovel	1	€ 153
A2OUL	stella shovel ultralight	1	€ 112
ACD-ASTRIP	double free support holder	1	€ 310
ASPAZ	oven brush	1	€ 102
ACONTEN	pizza dough box	21	€ 19 x 21 = € 399
ACOPER	pizza dough box (lid)	3	€ 19 x 3 = € 57
DB035	heat bag	3	€ 111 x 3 = € 333
RSPN	steel spatula	1	€ 24
RCUG	spoon for sauce	1	€ 24
RROT	pizza roller	2	€ 37 x 2 = € 74

With this starterskit you're instantly ready to start working in your pizzeria.

PRICE AS PACKAGE
€ 1260 (vat excl.)

KIT SHOVELS

Code	Name	Quantity	Price
AM33FUL	4 stagioni ultralight perforated shovel	1	€ 153
A2OUL	stella shovel ultralight	1	€ 112
ACD-ASTRIP	double free support holder	1	€ 310
ASPAZ	oven brush	1	€ 102

The total worth of this package is € 677 (vat excl.)

PRICE AS PACKAGE
€ 500 (vat excl.)



Little Italy

FORNI

✉ info@littleitaly.be

🌐 www.littleitaly.be

📘 [littleitalyforni](#)

📷 [littleitalyforni](#)